

Energy Chain System

Mobile Electrification System

Catalogue

TKA Series

Energy Chain
TKA Series

TKA48

Shim

Fixed End

Mobile End

Model No.	Inside Width (mm) B1	Inside Height (mm)	Outside Width (mm) B	Outside Height (mm)	Curve radius (mm)
TKA48	60	48	91	71	75
	75		106		
	80		111		
	90		121		
	100		131		
	120		151		
	125		156		
	150		181		
	175		206		
	200		231		

TKA58

Shim

Fixed End

Mobile End

Model No.	Inside Width (mm) B1	Inside Height (mm)	Outside Width (mm) B	Outside Height (mm)	Curve radius (mm)
TKA58	75	57.2	111	89	150
	100		136		
	125		161		
	140		176		
	150		186		
	175		211		
	200		236		
	225		261		
	250		286		
	275		311		
	300		336		
	350		386		
	400		436		


Shim

Wheel Chain

Disassembly Diagram

Energy Chain
TKA Series

TKA48



Fixed End




Mobile End



Model No.	Inside Width (mm) B1	Inside Height (mm)	Outside Width (mm) B	Outside Height (mm)	Curve radius (mm)
TKA48	60	48	91	71	75
	75		106		
	80		111		
	90		121		
	100		131		
	120		151		
	125		156		
	150		181		
	175		206		
	200		231		


TKA58



Fixed End



Mobile End




Model No.	Inside Width (mm) B1	Inside Height (mm)	Outside Width (mm) B	Outside Height (mm)	Curve radius (mm)
TKA58	75	57.2	111	89	150
	100		136		
	125		161		
	140		176		
	150		186		
	175		211		
	200		236		
	225		261		
	250		286		
	275		311		
	300		336		
	350		386		
	400		436		

Shim



Wheel Chain



Disassembly Diagram



Power Supply of Crane Long Traveling